

NDIA PRESENTATION









- Evolutionary Fix of Legacy Systems
- Proper Threat Physics Definition
- Clock Speed Word Length Bandwidth
- Defining the Readiness of Technology
- •NASA and DOD Levels of Incongruity
- Physics Based Description of Possibilities
- Next Hardware Emulation Architectures
- •Reimbursable Unintended Consequences
- •Joint Programs for Future System Science
- People Come for Science and Money






Evolutionary Fix of Legacy Systems

Proper Threat Physics Definition Clock Speed Word Length Bandwidth Defining the Readiness of Technology NASA and DOD Levels of Incongruity **Physics Based Description of Possibilities Next Hardware Emulation Architectures** Reimbursable Unintended Consequences Joint Programs for Future System Science **People Come for Science and Money**



MOVING TO S-CURVE INVESTMENT PAYOFF






There comes a time and requirement wherein one can simply not get there from here without a letting go of the old **Revolutionary Non Legacy Systems**



OPTIMUM SYSTEMS NEED SINGLE BUILD



DESIGNING FOR RETROFIT COSTLY IN MONEY AND PERFORMANCE



The Wheelbase Problem



The Pylon Problem




The Hull Problem



SHIPS OF THE LINE AND TEST SHIPS









Evolutionary Fix of Legacy Systems Proper Threat Physics Definition Clock Speed Word Length Bandwidth Defining the Readiness of Technology NASA and DOD Levels of Incongruity **Physics Based Description of Possibilities Next Hardware Emulation Architectures** Reimbursable Unintended Consequences Joint Programs for Future System Science **People Come for Science and Money**



TARGET DESIGN REALISTIC CONSTRAINTS




VEHICLE MANUFACTURE

CENTER OF GRAVITY

ANGLE OF ATTACK

NOSE TIP AND SHIELD



DEPLOYMENT DYNAMICS

SPIN RATE

ANGULAR RATE


EJECT VELOCITY

TRIM BETA SPIN TIPOFF VELOCITY GAMMA



REAL TIME VERSUS COMPUTER TIME










Evolutionary Fix of Legacy Systems Proper Threat Physics Definition Clock Speed Word Length Bandwidth

Defining the Readiness of Technology
NASA and DOD Levels of Incongruity
Physics Based Description of Possibilities
Next Hardware Emulation Architectures
Reimbursable Unintended Consequences
Joint Programs for Future System Science
People Come for Science and Money




EIGHT YEAR CHANGES





THREAT GROWTH



TECHNOLOGY GROWTH





Evolutionary Fix of Legacy Systems
Proper Threat Physics Definition
Clock Speed Word Length Bandwidth


Defining the Readiness of Technology

NASA and DOD Levels of Incongruity
Physics Based Description of Possibilities
Next Hardware Emulation Architectures
Reimbursable Unintended Consequences
Joint Programs for Future System Science
People Come for Science and Money



TECHNOLOGY ORGANIZATIONS









TECHNOLOGY AND TESTING GOVERNMENT ASSESSMENTS



		S-Band			CC /	X-Band						
		FY 05 / 06			FY 09		8	FY 05 / 06		FY 09		09
		Current TRL1	Risk Factor ²		Current TRL ¹	Risk Factor ²		Current TRL ¹	Risk Factor ²		Current TRL ¹	Risk Factor ²
High Power	sic	3	0.15		3	0.09	3	3	0.63		2	0.81
Modules	GaN	_	_		_	_		4	0.30		3	0.20
(9		<u> </u>		_	
Thermal Management	Component	3	0.35		3	0.30		2	0.25		2	0.25
	Module	3	0.25		2	0.15		2	0.20		2	0.20
	Array	4	0.28		4	0.35	5	4	0.28		4	0.35
(**	2					
Digital Radar Architectures	Control	2	0.40		2	0.24		2	0.40		2	0.40
	Integration	3	0.40		2	0.24		2	0.24		2	0.07
	ADC's	6	0.06		6	0.06		6	0.06		6	0.06
(
Algorithm Architectures 〈	Jammer	ß	0.28		3	0.21		2	0.28		2	0.21
	Clutter	3	0.35		3	0.35	- 8	3	0.35		3	0.35
	Wideband	3	0.30		3	0.25	- 8	3	0.30		3	0.25
Program					100		8					
Independent ∫	Open System	4	0.20		4	0.10		4	0.20		4	0.10
Software 1) Current TRL assessment against need date requirements. 2) Risk Factor for attaining TRL-6 capability at insertion point												







REQUIREMENTS FOR ALL SOURCES




DARPA

BMDO

ONR

INDUSTRY



BILLIONS

INTERNATIONAL





Evolutionary Fix of Legacy Systems
Proper Threat Physics Definition
Clock Speed Word Length Bandwidth
Defining the Readiness of Technology
NASA and DOD Levels of Incongruity

Physics Based Description of Possibilities
Next Hardware Emulation Architectures
Reimbursable Unintended Consequences
Joint Programs for Future System Science
People Come for Science and Money



Critical

Jump

LEAP

TECHNOLOGY READINESS LEVELS



Engineering Manufacturing Development

9

8

7

6

5

4

3

2

1





SM 3

Form and Fit


Flight Test

Ground Test

Integration


Concept

Evolutionary






Revolutionary





DIFFERING READINESS LEVELS







CONSTANT THREAD CAPABILITIES










THREAT AND FUNCTION DRIVEN



FOCUSED SBIR PHASE III TARGETS









Evolutionary Fix of Legacy Systems
Proper Threat Physics Definition
Clock Speed Word Length Bandwidth
Defining the Readiness of Technology
NASA and DOD Levels of Incongruity
Physics Based Description of Possibilities

Next Hardware Emulation Architectures Reimbursable Unintended Consequences Joint Programs for Future System Science People Come for Science and Money



REVISIT ARCHITECTURE AND TECHNOLOGY



WEAPONS



SYSTEM ENGINEERING


SURVEILLANCE






COMBAT SYSTEMS






ULTIMATE MISSILE







MULTI-MODE

IMAGE EXTRACTION


RANGE RANGE RATE

ANGULAR RESOLUTION

NORMAL ACCELERATION

ON DEMAND PROPULSION

AIR DEFENSE
LAND ATTACK
MISSILE DEFENSE
LOW OBSERVABLE DEFENSE




128 Bits 2000 Megahertz



ULTIMATE RADAR






VISIBLE WIDE BAND



S BAND




X BAND



ULTRA WIDE BAND

RANGE RANGE RATE
FEATURE IMAGING
DOPPLER IMAGING
CROSS RANGE MOTION
HYPER RESOLUTION
EDGE DETECTION
MICRO DYNAMICS
MACRO DYNAMICS
NORMAL ACCELERATION
COHERENT INTEGRATION





128 Bits 2000 Megahertz




ULTIMATE BATTLE MANAGEMENT







SCENE REGISTRATION
CRITICAL STRIKE RATES
FULL VIDEO RATES
EDGE DETECTION
MOTION DETECTION
FORCE NET LINKAGE
NANOSECOND CLOCKS
MULTI DYNAMIC RADAR
LOSSLESS COMPRESSION



128 Bits 2000 Megahertz





Evolutionary Fix of Legacy Systems
Proper Threat Physics Definition
Clock Speed Word Length Bandwidth
Defining the Readiness of Technology
NASA and DOD Levels of Incongruity
Physics Based Description of Possibilities


Next Hardware Emulation Architectures

Reimbursable Unintended Consequences Joint Programs for Future System Science People Come for Science and Money



FULL IMAGE TIME AND SPACE DATA SET








STREAMING VIDEO COMMERCIAL DRIVER









IMAGE CONVOLUTION



Spatial and Temporal Analysis

Uniformity
Correction
Sub Pixel Resolution
Dynamic Range
Edge Detection
Velocity Fields
Motion Detection
Data Compression
Scene Registration

























CONVOLUTIONS TOO CHEAP TO METER





Analog Image Processing



Hybrid Silicon ASIC Conjugated Polymer Device




DISCRETE AND CONTINUOUS WAVELET TRANSFORMS







Digital Parallel Gate Arrays



Analogue Silicon Retinal Arrays






SPATIAL TEMPORAL MOTION SPACE







Analogue Silicon Retinal Arrays



MERIT	ASIC	TAIP
CHIPS		
TFLOPS		
POWER		



COMPARISON OF ASIC AND TAIP CHIPS



Image format (kernel size)	UNITS	ASIC DSP	TAIP Array		
	MFLOPS	184	184		
256 x 256 (8 x 8)	Power (W)	1	0.1		
	# of chips	1	1		
	GFLOPS	1.8	1.8		
1000 x 1000 (8 x 8)	Power (W)	16	1.6		
	# of chips	16	1		
	TFLOPS	0.1	0.1		
2000 x 2000 (32 x 32)	Power (W)	1024	6.4		
	# of chips	1024	1		




CONVOLUTION SEEKER MISSILE DESIGN



3 Degrees


Requires
Seeker Gimbals
Roll to Hit Guidance
Divert propulsion
Attitude Propulsion
Wings and Fins
Massive Software
Unnatural Complexity



Convolution Array

220 Degrees

Enables
Electronic Strap down
Trim to Hit Guidance
Mass Moment Steering
Natures Firmware
Natural Simplicity





COMPUTATIONAL MACHINES





LASER WAVE FRONT



SUB PIXEL RESOLUTION




MOTION TRACKING


NEW CHIP



UNIFORMITY CORRECTION



BMC4I COMPRESSION





SENSOR MULTI PATH


SENSOR

SENSOR MULTI SOURCE **MULTI SPECTRAL**




TAPPING 200 MILLION TALENTS






Convolution Array



Convolution Engine PCI



Convolution Desktop



NDIA KEYNOTE TOPICS



Evolutionary Fix of Legacy Systems
Proper Threat Physics Definition
Clock Speed Word Length Bandwidth
Defining the Readiness of Technology
NASA and DOD Levels of Incongruity
Physics Based Description of Possibilities
Next Hardware Emulation Architectures

Reimbursable Unintended Consequences

Joint Programs for Future System Science People Come for Science and Money



SAME TEST ISSUES AT TWO RANGES







KREMS OPERATIONAL ASSETS








SIMILAR MISSIONS UNSHARED TESTING GOALS

S S STATE OF STATE OF

EXISTING INFRASTRUCTURE BMDO DEFENSE









NDIA KEYNOTE TOPICS



Evolutionary Fix of Legacy Systems Proper Threat Physics Definition Clock Speed Word Length Bandwidth Defining the Readiness of Technology NASA and DOD Levels of Incongruity Physics Based Description of Possibilities **Next Hardware Emulation Architectures** Reimbursable Unintended Consequences Joint Programs for System Science **People Come for Science and Money**



A JOINT SYSTEM





Standard Hardware Common Software Assured Interoperability Streamlined Logistics



HIGHLY EFFECTIVE PROGRAM INVESTMENT





Operational In the Army
Proven On The Coronado
Assured Service Interoperability
Strong User Demand
Leverages Commercial Technology



REAL CAPABILITY AVAILABLE NOW





IMAGE REGISTRATION INFRASTRUCTURE






REAL TIME ACCESS TO ALL SENSORS




TRANSFER IMAGE BASED BMC4 METHODOLOGY




Threat Strike



Threat Defense




All Workstations Identical 'Windows For The Warrior'



MISSILE DEFENSE TRADITIONAL FORCES








MISSION COORDINATION







NDIA KEYNOTE TOPICS




Evolutionary Fix of Legacy Systems Proper Threat Physics Definition Clock Speed Word Length Bandwidth Defining the Readiness of Technology NASA and DOD Levels of Incongruity Physics Based Description of Possibilities **Next Hardware Emulation Architectures** Reimbursable Unintended Consequences Joint Programs for System Science **People Come for Science and Money**



INDEPENDENT OVERSIGHT MANAGEMENT





DOD DIRECTIVES CLEARLY STATE INDEPENDENT GOVERNMENT ASSESSMENT AND DIRECTION **OF PROGRAM CONTENT AND PROGRESS**

ASSESSMENT MONIES AND PROGRAM MONIES NOT COMINGLED



THEN AND NOW



NATIONAL TECHNOLOGY 300 BEST SCIENTISTS DESIGNED SYSTEM THEN
ABRES

ACQUISITION

TECHNOLOGY

ATLAS

5 MILE CEP 5 MEGATON 50%RELIABLE

ATLAS

TITAN

488 FLIGHTS

MM I POLARIS

MM II POSEIDON

100 FOOT CEP 360 KILOTON 100% RELIABLE

MM III TRIDENT

5000 OFFENSIVE MISSILES

SDIO
TECHNOLOGY
300 BEST
SCIENTISTS
DESIGNED
SYSTEM

ACQUISITION

NOW

WHAT

TECHNOLOGY

ENTRY WARNING IDENTIFICATION HIT TO KILL

TECHNOLOGY

ROBUST WARNING IDENTIFICATION HIT TO KILL TMD NMD

BLOCK I

BLOCK II


BLOCK III


TO DATE 0 DEFENSIVE MISSILES



Engineer and Scientist Program Exodus








^{*} International Cooperative Programs, Intelligence Program, BMDO Architecture and Engineering, BMDO Test and Evaluation, Pentagon Maintainence Reservation Fund, HQ Management and Acquisition Program Reserve



TECHNOLOGY BURSTS FOR NATIONAL DEFENSE









FIX THE TALENT ATROPHY









NDIA PRESENTATION



